



2 SLICE TOASTER WMTO 07



ABS Housing

Cool Touch Outer Body

Two Slice Double Slots

Removable Crumb Tray

Electronic Control For Ideal Toasting

Automatic Pop-up & Auto Switch Off

800Watts for Powerful Toasting

Power Voltage : 230~240V, 50/60Hz AC



Toast extra thick bread
slice of all size



Temperature control dial
for ideal toasting



Powerful 800 Watts for
fast toasting

to know more on our
products & services,
scan the code for
instant information



2 SLICE TOASTER

WMTO 08

WAMA[®]
new generation appliance...

India's
**POWER
BRANDS**
Chosen by Consumers



Two Slice Double Slot Toaster

Cool Touch Outer Body

Removable Crumb Tray

7 Electronic Browning Function for Ideal Toasting

Automatic Pop Up & Auto Switch OFF

Cord Storage at Bottom

Rubber Feet

Power : 230-240V, 50/60Hz

700Watts For Powerful Toasting

Qty Per Carton : 6pcs / ctn

Barcode : 8432173061885



Toasts extra thick bread slices



Temperature Control Dial for Ideal Toasting



700 Watts for Powerful Toasting

**GLOBAL
presence**
in technical know how with SPAIN



and passionately moving ahead in many more countries...

to know more on our
products & services,
scan the code for
instant information



wamaworld.com



**SIMPLE
& RELIABLE**

2 SLICE TOASTER

WMTO 09

WAMA WATTY MADE
M

POWER
BY
CHOOSE BY CONSUMER



Two Slice Double Slot Toaster
Each Slice Toasts with a 'SMILE'
Cancel Button Ends Toasting Cycle
Cool Touch Outer Body
Removable Crumb Tray
7 Electronic Browning Function for Ideal Toasting
Automatic Pop Up & Auto Switch OFF
Cord Storage at Bottom
Rubber Feet
Power - 230-240V, 50/60Hz
700Watts For Powerful Toasting

Qty Per Carton : 8pcs / ctn

Barcode : 8432173061892



Toasts 'SMILE' on each Slice



Temperature Control Dial for Ideal Toasting



700 Watts for Powerful Toasting

GLOBAL
presence
in technical know how with EPAAZ



and passionately moving ahead in many more countries...

To know more about our products & services, scan the code for instant information.



wamaworld.com

Intel Inside

SIMPLE
& RELIABLE